

CHECK VALVES

531 CHECK VALVE Patented

- Features:
- The mating pipe cannot block the valve from operating
 - Longer threads make for an excellent valve when used with PVC pipe
 - The Celcon guide compresses into the valve body preventing the valve from coming apart during operation
 - Celcon guide and poppet manufactured from same materials for longer wearability
 - Square hole in Celcon guide prevents grit retention, eliminates wear
 - Celcon bullet shaped poppet for smooth flow
 - Tapered seat washes clean
 - Coined seat for smooth hardened surface
 - The seat I.D. is the same as the mating pipe I.D. - a full flow valve 40-60% greater flow than industry standard
 - All of these features are contained in a water works grade 81 Red Brass body
 - Excellent for hot water heat systems; rated at 180 degrees

Part Number	Size (Inches)	Weight (lbs)	Quantity/Carton	List Price Each
922823	1	0.8	25	See separate price list
922824	1 1/4	1.3	25	
922825	1 1/2	1.6	IND.	
922826	2	2.8	IND.	

- Female x Female In-line Check

LEAD FREE 531 CHECK VALVE Patented

- Features:
- Manufactured from Federalloy®, a lead free bronze alloy
 - Any trace of lead is by contamination only below 1% by weight

Part Number	Size (Inches)	Weight (lbs)	Quantity/Carton	List Price Each
922830	1	0.8	25	See separate price list
922835	1 1/4	1.3	25	

529 CHECK VALVE Patented

Part Number	Size (Inches)	Weight (lbs)	Quantity/Carton	List Price Each
922605	1 x 1	0.8	25	See separate price
922606	1 1/4 x 1	0.9	25	
922607	1 1/4 x 1 1/4	1.2	25	
922608	2 x 2	2.6	IND.	

- Male x Female In-line Check (pump head use)

529 XLT CHECK VALVE Patented

- Features:
- Designed for special Bell Socket PVC Drop Pipe

Part Number	Size (Inches)	Weight (lbs)	Quantity/Carton	List Price Each
922700	1	1.0	25	See separate price list
922702	1 1/4	1.5	25	
922704	2	3.3	IND.	

- Male x Female

530 CHECK VALVE

- Features:
- Heavy red brass body for maximum strength
 - Spool type brass poppet eliminates sticking
 - Buna-n rubber facing for water, oil or gas
 - Silent operation in horizontal or vertical position
 - Can be used with water, oil or gas

Part Number	Size (Inches)	Weight (lbs)	Quantity/Carton	List Price Each
922579	1/2	0.6	25	See separate price list
922582	3/4	1.2	25	
922585	1	1.5	25	
922588	1 1/4	1.8	25	
922591	1 1/2	2.5	IND.	
922594	2	3.8	IND.	
922597	2 1/2	7.0	IND.	
922600	3	13.0	IND.	
922603	4	38.0	IND.	

- Female x Female In-line Check

Note: All brass foot and check valves rated at 200 psi at 180°F operating temperature.



CHECK VALVES




531



529



529XLT



530

CHECK VALVES



536-S

536-S TAPPED CHECK VALVE

Features:

- One 1/8" hole for 645 air valve

Part Number	Size (Inches)	Weight(lbs)	List Price Each
922655	1	1.5	See separate price list
922656	1 1/4	2.0	
922657	1 1/2	3.0	
922660	2	4.0	

• Female x Female Check



538-S

538-S TAPPED CHECK VALVE

Features:

- One 1/8" hole for 645 air valve
- One 1/4" hole for pressure switch

Part Number	Size (Inches)	Weight(lbs)	List Price Each
922687	1	1.5	See separate price list
922690	1 1/4	2.0	
922693	1 1/2	3.0	
922694	2	4.0	

• Female x Female Check



539-S

539-S TAPPED CHECK VALVE

Features:

- Two 1/4" holes - 90° apart

Part Number	Size (Inches)	Weight(lbs)	List Price Each
922715	1	1.5	See separate price list
922716	1 1/4	2.0	

• Female x Female check

DUCTILE IRON CHECK VALVES

530 D CHECK VALVE

Features:

- Heavy Ductile Iron body for maximum strength
- Spool type poppet eliminates sticking
- Buna-N Rubber facing for water, oil, or gas
- Lead free
- Durable powder coat finish
- Stainless steel spring

Part Number	Size (Inches)	Weight (lbs)	List Price Each
922630	2 1/2	7	See separate price list
922635	3	13	
922640	4	38	



530 D
with
BREAK OFF
PLUG

530 D CHECK VALVE with BREAK OFF PLUG

Features:

- Includes 1/2" stainless steel break off plug
- When plug is broken, it allows water to drain from pipe.

Part Number	Size (Inches)	Weight (lbs)	List Price Each
922620	4	38	See separate price list

600 SPRING LOADED CHECK VALVE

Features:

- Ductile iron body
- Lead free
- Silicone bronze poppet
- Stainless steel spring and nut
- Powder coated finish

Part Number	Size (Inches)	Weight (lbs)	List Price Each
922795	6	40.0	See separate price list
922796	8	54.5	



600

600 SPRING LOADED CHECK VALVE WITH BREAK OFF PLUG

Features:

- Include 1/2" stainless steel break off plug

Part Number	Size (Inches)	Weight (lbs)	List Price Each
922797	6	40.5	See separate price list
922798	8	55.5	

BREAK OFF PLUG ONLY

Features: ● Include 1/2" stainless steel as standard

Part Number	Size (Inches)	Weight (lbs)	List Price Each
922615	1/2"	0.50	See separate price list



• Female x Female check valves