

# PRESSURE GAUGES

Features:

- Ametek
- With steel case/brass stem, 1/8" orifice



Part Number	Diameter (Inches)	Pressure Range (PSI)	Pressure Connection (Ins.)	Approx. Weight (Lbs.)	List Price Each
940069	2	0-100#	1/4	.4	See separate price list

Features:

- Midwest
- No lead less than .05
- With steel case/brass stem, 1/8" orifice

Part Number	Diameter (Inches)	Pressure Range (PSI)	Pressure Connection (Ins.)	Approx. Weight (Lbs.)	List Price Each
940070	2	0-100#	1/4	.4	See separate price list
940068	2	0-200#	1/4	.4	

## BACK MOUNTED GAUGES



Part Number	Diameter (Inches)	Pressure Range (PSI)	Pressure Connection (Ins.)	Approx. Weight (Lbs.)	List Price Each
940071	2	0-100#	1/4	.4	See separate price list
940072	2	0-200#	1/4	.4	

## 2 1/2" LIQUID FILLED GAUGES

Features:

- Stainless steel case
- Brass stem
- No lead less than .05"
- Liquid filled to reduce vibrations
- Import



Part Number	Model Number	Diameter (Inches)	Pressure Range (PSI)	Pressure Connection (Ins.)	Approx. Weight (Lbs.)	List Price Each
940202	PHLF100	2 1/2	0-100#	1/4	.42	See separate price list
940203	PHLF200	2 1/2	0-200#	1/4	.42	

## LIQUID FILLED GAUGES

Features:

- Stainless steel case
- Brass stem
- USA Made



Part Number	Model Number	Diameter (Inches)	Pressure Range (PSI)	Pressure Connection (Ins.)	Approx. Weight (Lbs.)	List Price Each
940204	PGL30	2 1/2	0-30#	1/4	.50	See separate price list
940206	PGL60	2 1/2	0-60#	1/4	.50	
940208	PGL100	2 1/2	0-100#	1/4	.50	
940210	PGL160	2 1/2	0-160#	1/4	.50	
940212	PGL200	2 1/2	0-200#	1/4	.50	
940214	PGL300	2 1/2	0-300#	1/4	.50	
940216	PGL400	2 1/2	0-400#	1/4	.50	
940218	PGL600	2 1/2	0-600#	1/4	.50	
940220	PGL1000	2 1/2	0-1000#	1/4	.50	
940222	PGL60	4	0-60#	1/4	.50	
940224	PGL100	4	0-100#	1/4	1.90	
940226	PGL160	4	0-160#	1/4	1.90	
940228	PGL200	4	0-200#	1/4	1.90	
940230	PGL300	4	0-300#	1/4	1.90	
940232	PGL400	4	0-400#	1/4	1.90	
940234	PGL600	4	0-600#	1/4	1.90	
940236	PGL1000	4	0-1000#	1/4	1.90	

# PRESSURE GAUGES

## 2 1/2" LIQUID FILLED BACK MOUNTED GAUGES

Features:

- No lead less than .05
- Liquid filled to reduce vibrations
- Stainless steel case

Part Number	Diameter (Inches)	Pressure Range (PSI)	Pressure Connection (Ins.)	Approx. Weight (Lbs.)	List Price Each
940073	2 1/2	0-100#	1/4	.45	See separate price list
940074	2 1/2	0-200#	1/4	.45	

## 2 1/2" LIQUID FILLED BACK MOUNTED GAUGES

Features:

- Noshok
- Stainless steel case
- Brass stem

Part Number	Model Number	Diameter (Inches)	Pressure Range (PSI)	Pressure Connection (Ins.)	Approx. Weight (Lbs.)	List Price Each
940255	PGL30	2 1/2	0-30#	1/4	.50	See separate price list
940256	PGL60	2 1/2	0-60#	1/4	.50	
940257	PGL100	2 1/2	0-100#	1/4	.50	
940259	PGL200	2 1/2	0-200#	1/4	.50	
940260	PGL300	2 1/2	0-300#	1/4	.50	
940261	PGL400	2 1/2	0-400#	1/4	.50	
940263	PGL1000	2 1/2	0-1000#	1/4	.50	



PRESSURE GAUGES

## 2 1/2" LIQUID FILLED VACUUM GAUGES

Feature:

- Stainless steel case

Part Number	Model Number	Description	List Price Each
940250	PGL300	25.901 -30/+30 PSI	See separate price list

## GAUGE PANEL MOUNTING CLAMP

Part Number	Description	List Price Each
940242	Designed for back connecting gauges	See separate price list



# ACCESSORIES

## SQUARE D PRESSURE SWITCHES



Part Number	Type	Pressure Range (PSI)	Description	Pressure Connection	Approximate Weight (Lbs.)	List Price Each
940024	FSG2	20/40	Standard switch	1/4"	1.3	See separate price list
940032	FSG2	30/50	Standard switch	1/4"	1.3	
940026	FSG2	40/60	Standard switch	1/4"	1.3	
940054	FSG2M4	20/40	Low pressure cut-off	1/4"	1.5	
940028	FSG2M4	30/50	Low pressure cut-off	1/4"	1.5	
940055	FSG2M4	40/60	Low pressure cut-off	1/4"	1.5	
940023	FSG2MIP	30/50	Manual cut-off lever	1/4"	1.5	
940030	FSG2P	20/40	With Pulsation Plug	1/4"	1.3	
940031	FSG2P	30/50	With Pulsation Plug	1/4"	1.3	
940036	FSGFormG5	20/40	With light	1/4"	1.3	
940035	FSGFormG5	30/50	With light	1/4"	1.3	
940133	FSG2J2oMI	20/40	MI maintained Manual cut-off	1/4"	2	
940134	FSG2J2oMI	30/50	MI maintained Manual cut-off	1/4"	2	
940135	FSG2J2oMI	40/60	MI maintained Manual cut-off	1/4"	2	
940136	FSW2J20	20/40	Nema 3R enclosure	1/4"	2	
940137	FSW2J21	30/50	Nema 3R enclosure	1/4"	2	
940138	FSW2J24	40/60	Nema 3R enclosure	1/4"	2	
940139	GSW2J20	20/40	Heavy Duty Nema 4	1/4"	2	
940140	GSW2J21	30/50	Heavy Duty Nema 4	1/4"	2	
940141	GSW2J24	40/60	Heavy Duty Nema 4	1/4"	2	
940142	DG2		Float Switch	1/4"	2	
940143	DG2R		Rev Float Switch	1/4"	2	

## MAASS MIDWEST PRESSURE SWITCHES

Features: ● CSA listed ● UL listed

Part Number	Type	Pressure Range (PSI)	Description	Pressure Connection	Approximate Weight (Lbs.)	List Price Each
940049	PS2	20/40	Standard switch	1/4"	1.4	See separate price list
940050	PS2	30/50	Standard switch	1/4"	1.4	
940051	PS2	40/60	Standard switch	1/4"	1.4	



## PRESSURE SNUBBER

Features: ● Brass piston type  
● Resists clogging  
● Five different size pistons included with each snubber

Part Number	Model Number	Description	Connection	Approx Weight	List Price Each
940240	PS1325	Pressure snubber	1/4"	4 oz.	See separate price list



## RELIEF VALVES

Features: ● Red brass, spring loaded pressure relief valve for shallow and deep well pumps

Part Number	Pipe Size (Inches)	Pressure Setting	Approx. Weight (Lbs.)	List Price Each
934004	1/2 x 1/2	75 lbs.	.5	See separate price list
934005	3/4 x 1/2	75 lbs.	.5	
935005	3/4 x 1/2	100 lbs.	1.20	

370

## RELIEF VALVES

Features: ● Adjustable pressure setting  
● Factory set at 75 psi

Part Number	Pipe Size (Inches)	Approx. Weight (Lbs.)	List Price Each
934002	3/4 x 3/4	1.2	See separate price list



5370

# ACCESSORIES

## HEAT SHRINK SPLICE KITS

These kits feature thick wall, self-sealing heat shrinkable tubing which provides quick, moistureproof splicing in the field. Kits are available in 2, 3 and 4 wire versions.

### Features:

- Permanently flexible sealant
- Easy activation with heat source
- Splices made using standard wire crimping tool
- 3M material
- Excellent Dielectric strength
- Wide range of sealing capability - will cover a large diameter connection and still effectively seal down to a small diameter cable
- High resistance to moisture, fungus and weathering

Part Number	Description	List Price per Kit
942001	Heat Shrink Kit A-2 for 10, 12, 14 gauge wire (2 wire)	See separate price list
942002	Heat Shrink Kit A-2C for 10, 12, 14 gauge wire (2 wire, clear)	
942003	Heat Shrink Kit A-3 for 10, 12, 14 gauge wire (3 wire)	
942004	Heat Shrink Kit A-3C for 10, 12, 14 gauge wire (3 wire, clear)	
942005	Heat Shrink Kit A-8 for 8 gauge wire (4 wire)	
942006	Heat Shrink Kit A-8C for 8 gauge wire (4 wire, clear)	
942008	Heat Shrink Kit A-4 for 10, 12, 14 gauge wire (4 wire)	
942009	Heat Shrink Kit A-4C for 10, 12, 14 gauge wire (4 wire, clear)	
942012	Master Pack Heat Shrink Kit A-12C for 10, 12, 14 gauge wire (12 pks, clear)	
942022	Heat Shrink Kit A-4, for 6 gauge wire (4 wire)	
942023	Heat Shrink Kit A-4,6C for 6 gauge wire (4 wire, clear)	
942024	Heat Shrink Kit A-4,4 for 4 gauge wire (4 wire)	
942025	Heat Shrink Kit A-4,4C for 4 gauge wire (4 wire, clear)	
942026	Heat Shrink Kit A-4,2 for 2 gauge wire (4 wire)	
942027	Heat Shrink Kit A-4,2C for 2 gauge wire (4 wire, clear)	
942028	Heat Shrink Kit A-4,10 for 1/0 gauge wire (4 wire)	



## BUTT SPLICE CONNECTORS

Part Number	Wire Gauge	Description	Quantity per Package	List Price per Kit
942007	10-12-14	B-1210	50	See separate price list
942040	8	BC-8	50	
942041	6	BC-6	25	
942042	4	BC-4	25	
942043	2	BC-2	1	
942044	1/0	BC-10	1	
942045	2/0	BC-20	1	



## COMPRESSION SPLICE KITS

### Features:

- Quick economical kit for hand tightened waterproof splice
- Includes butt splice connectors, compression sets, and washers
- Available in two, three and four wire kits
- 3M Company

Part Number	Wire Range	Compression & Connection per Kit	Master Carton Kits	List Price per Kit
942048	14 to 10	2	100	See separate price list
942049	14 to 10	3	100	
942050	14 to 10	4	100	



ACCESSORIES

# ACCESSORIES



## IDEAL ELECTRICAL CABLE TIES

Features:

- For tying and bundling applications

Part Number	Length	Size	Package Quantity	List Price
942060	8.8"	1/6" to 2 3/8"	100	See separate
942061	14.5"	1/16" to 4"	100	price list

## IDEAL SILICONE-FILLED WIRE CONNECTORS

Features:

- Pre-filled silicone, wire nut connectors
- UL Listed to 486D for use in damp/wet conditions
- Weatherproof™ for interior or exterior locations
- Easy to apply, pre-filled twist-on connectors



Part Number	Model Number	Wire Range	Quantity (Per Carton)	List Price
942054	62	18 - 8AWG	100	See separate
942056	63	16 - 6AWG	100	price list

## UNDERGROUND CABLE SPLICE KIT

Features:

- For direct burial of 14 to 8 gauge multi-conductor feeder cable (copper wire only)
- Easy activation with heat source
- Will accommodate 2 or 3 conductors with ground
- UL and CSA listed



Part Number	Description	List Price
942010	Markel UF splice kit	See separate price list

# ACCESSORIES

## COPPER WELL SEAL AIR VENT

Features:

- Vermin proof
- Fabricated from copper
- Low profile



Part Number	Diameter	Length	Thread Size	List Price
930632	7/8"	2"	1/2" NPT	See separate
930634	1 1/4"	2 9/32"	3/4" NPT	price list

\*NOTE: 3/4" to be used on 8" and larger well seal.

ACCESSORIES

## PVC WELL SEAL AIR VENT

Features:

- Fits most solid or split top well seals
- Manufactured from rugged PVC
- Slotted area provides vermin proof protection



Part Number	Diameter	Length	Thread Size	List Price
930630	1"	5 1/2"	1/2" NPT	See separate price list

## STEEL WELL SEAL AIR VENT

Features:

- Fabricated from 1/2" heavy duty galvanized steel
- Brass and stainless steel 24 mesh screen



Part Number	O.A. Length	Vent Height	Thread Size	Weight	List Price
934634	17"	12"	1/2" NPT	1.10	See separate
934636	8"	8"	1/2" NPT	1.35	price list

# ACCESSORIES



## SURGE ARRESTOR

- Features:
- Designed to protect motors and controls from voltage surges
  - Surges in excess of 500 volts are shunted to ground
  - Easily installed in conjunction with pressure switch or control box
  - Can be used with either 2 or 3 wire motors

Part Number	Quantity Per Package	List Price
942020	1	See separate price list

## ALL WEATHER ELECTRICAL TAPE



- Features:
- Requires no heat, moisture, or other matter to be effective
  - No more than 600V
  - No more than 176° F (80°C)

Part Number	Size	Description	Approved	List Price Each
942011	3/4" x 60'	7.5 mil thickness	UL	See separate price list
942016	2" x 100'	10 mil thickness - pipewrap		



## 3M SUPER 33 + VINYL ELECTRICAL TAPE

- Features:
- UL Listed; UL 510 Standard "Insulating Tape"
  - PVC tape with high dielectric strength, flame retardant and conformable
  - Excellent resistance to abrasion, moisture, alkalis, acid, copper, corrosion, varying weather conditions, and sunlight

Part Number	Size	Description	Carton Quantity	List Price Each
942017	3/4" x 66'	Up to 600V & 220°F (105°C)	10	See separate price list

## 1/4" POLYPROPYLENE BRAIDED ROPE



- Features:
- 1000 lb. tensile strength
  - Completely rot and mildew proof
  - Retains flexibility at all temperatures
  - Spool manufactured from plastic

Part Number	Length (Feet)	Weight (Lbs.)	List Price Each
941700	500	4.5	See separate price list
941701	1000	8.5	
941702	3000	25.3	

## POLYPROPYLENE 3 STRAND TWISTED ROPE

- Features:
- Yellow
  - Spool manufactured from wood or plastic
  - 1/4" - 1125 lb. tensile strength
  - 3/8" - 2500 lb. tensile strength

Part Number	Size	Length (Feet)	Spool Material	Weight (Lbs.)	List Price Each
941705	1/4	1200	Plastic	13	See separate price list
941708	3/8	600	Wood	13	
941710	3/8	1000	Wood	20	

# ACCESSORIES

## SERIES 645 AIR VALVES

Features: ● Light spring

Part Number	Size (Inches)	App. Weight (Ounces)	List Price Each
940006	1/8	1 oz.	See separate price list
940009	1/4	1 oz.	
549004	CORE ONLY	-	
549008	CAP ONLY	-	



645

## SERIES 655 AIR VALVES

Features: ● No spring

Part Number	Size (Inches)	App. Weight (Ounces)	List Price Each
940010	1/8	1 oz.	See separate price list
940011	1/4	1 oz.	
549006	CORE ONLY	-	




934010

## SUBMERSIBLE CABLE GUARD

Features: ● Use to centralize pipe in well casing

Part Number	For Casing Size (Inches)	Weight Each (Ounces)	List Price Each
934010	4-5-6	2	See separate price list



934014

## SUBMERSIBLE WRAP AROUND CABLE GUARD

Features: ● Fits 1" drop pipe ● Clamp device adjusts to drop pipe  
● Two large holes for wire and safety rope

Part Number	For Casing Size (Inches)	Weight Each (Ounces)	List Price Each
934014	4-5-6	2	See separate price list



STA-48

## TORQUE ARRESTORS

Features: ● Remains flexible under extreme cold temperatures ● Supplied with two stainless steel clamps  
● Expandable rubber fits 4-8" casing ● Fits 1 - 1 1/2" drop pipe  
● Individually bagged

Part Number	Trade Number	Description	Weight Each (Lbs.)	List Price Each
934011	STA-48	Two Halves	2	See separate price list
934012	ECONOMY	Two Halves	2	



539

## BLEEDER VALVE

Features: ● Used to supply air to pressure tanks

Part Number	Pipe Size (Inches)	Material	Weight Each (Ounces)	List Price Each
922792	3/4	Brass	3	See separate price list
941648	1	Rubber	2	



ACCESSORIES

# ACCESSORIES



## PITCHER PUMP

Features:

- Heavy cast iron pump
- Hook for pail
- Cap can be adjusted for a wide range of handle positions

Part Number	Type of Spout	Cylinder Size (Inches)	700 Valve Leather	Base Tapped (In. IPS)	Height (Inches)	Weight (Lbs.)	List Price Each
940100	Open	3	3 x 3 1/2	1 1/4	18	19	See separate price list
940082	Closed	3	3 x 3 1/2	1 1/4	16	17	



## AIR VOLUME CONTROLS

Part Number	Trade Number	Mfr.	Description	Case	Weight Each (Lbs.)	List Price Each
940061	57	Johnson	Deepwell less gauge	Noryl	1.0	See separate price list
940063	57	Ametek	Deepwell less gauge	Metal	1.5	

## PLASTIC JET PUMP AIR CONTROL

Features:

- High capacity air charger fits all size tanks up to and including 82 gallon
- Easily manifolded for larger size tanks
- Easier to clean and remove snifter assembly
- Tapped 1/4 FIP

Part Number	Description	List Price Each
940086	Jet Pump Air Control	See separate price list



## PLASTIC JET PUMP AIR CONTROL INSTALLATION PACKAGE

Kit Includes:

- 4' poly tubing
- (2) 1/4" MIP x 1/8" barb brass adapters

Part Number	Description	List Price Each
940088	Air Control Installation Package	See separate price list

# ACCESSORIES

## ALL STAINLES STEEL CLAMPS U.S. MANUFACTURED Ideal®



### 68 SERIES IDEAL STANT®

- 300 series 9/16" band and housing
- 400 series 5/16" hex head and Screw

Part Number	Diameter Range (Inches)		Standard Package	Standard Carton	Pounds Per 100	List Price Each
	Min.	Max.				
446806	3/8	7/8	10	100	2	See separate price list
446810	1/2	1 1/16	10	100	4	
446812	1/2	1 1/4	10	100	5	
446816	3/4	1 1/2	10	100	5	
446820	3/4	1 3/4	10	100	5	
446824	1	2	10	100	6	
446828	1 5/16	2 1/4	10	100	6	
446832	1 5/8	2 1/2	10	100	7	
446836	3/4	2 3/4	10	100	7	
446840	1	3	10	100	8	
446844	1 1/4	3 1/4	10	100	8	
446848	1 1/2	3 1/2	10	100	8	
446852	1 3/4	3 3/4	10	100	8	
446856	2	4	10	100	10	
446864	2 1/2	4 1/2	10	100	11	
446872	3	5	10	100	11	
446880	3 1/2	5 1/2	10	100	14	
446888	4	6	10	100	14	
446896	4 1/2	6 1/2	10	100	14	
446104	5	7	10	100	14	

### 69 SERIES IDEAL STANT® LOX-ON

- Unique double locking-system

Part Number	Diameter Range (Inches)		Standard Package	Standard Carton	Pounds Per 100	List Price Each
	Min.	Max.				
446920	1 1/16	1 1/4	50	500	2	See separate price list
446932	1 3/4	5	50	500	2	

### CHROME PLATED SAMPLE VALVE

Features:

- Chrome plated to minimize contamination of sample
- Standard size to easily install in tank T head
- Meets Wisconsin state code



Part Number	Thread Size	List Price Each
961133	1/2"	See separate price list
961134	3/4"	price list

ACCESSORIES